

# Treatment of Coccidiosis of Dogs and Cats

- **Sulfadimethoxine**      ■ 50-60 mg/kg daily for 5-20 days (D,C)
- **Sulfaguanidine**      ■ 150 or 200 mg/kg daily for 6 days (D,C); 100-200 mg/kg every 8 hours for 5 days (D,C)
- **Furazolidone**      ■ 8-20 mg/kg once or twice daily for 5 days (D,C)
- **Trimethoprim/Sulfonamide**      ■ Dose/length depends of sulfa; 30-60 mg/kg trimethoprim daily for 6 days in animals  $\geq$  4 kg; or 15-30 mg/kg trimethoprim for 6 days in animals  $\leq$  4 kg
  
- **Sulfadimethoxine/Ormetoprim**      ■ 55 mg/kg of sulfadimethoxine and 11 mg/kg of ormetaprim for 7-23 days (D)
- **Quinacrine**      ■ 10 mg/kg daily for 5 day (C)
- **Amprolium**      ■ 300 to 400 mg (total) for 5 days (D); 110-200 mg (total) daily for 7-12 days (D); 60-100 mg/kg (total) daily for 7 days ©; 1.5 tbs (23 cc)/gal (sole water source) not to exceed 10 days (D)
  
- **Amprolium/Sulfadimethoxine**      ■ 150 mg/kg of amprolium and 25 mg/kg of sulfadimethoxine for 14 days (D)
  
- **Toltrazuril**      ■ 10-30 mg/kg daily for 1-3 days (D)
- **Diclazuril**      ■ 25 mg/kg daily for 1 day (C)
- **Ponazuril**      ■ 20 mg/kg daily for 1-3 days (D,C) or 50mg/kg for 1 day (D,C)